

## [2017 New Free Download 70-740 Exam Dumps VCE From Lead2pass (61-70)

2017 June Microsoft Official New Released 70-740 Q&As in Lead2pass.com! 100% Free Download! 100% Pass Guaranteed! Lead2pass is constantly updating 70-740 exam dumps. We will provide our customers with the latest and the most accurate exam questions and answers that cover a comprehensive knowledge point, which will help you easily prepare for 70-740 exam and successfully pass your exam. You just need to spend 20-30 hours on studying the exam dumps. Following questions and answers are all new published by **Microsoft** Official Exam Center: <http://www.lead2pass.com/70-740.html>

**QUESTION 61**Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have three servers named Server1, Server2, Server3 that run Windows Server 2016. Server1 and Server2 have the Hyper-V server role installed. Server3 has the iSCSI Target Server role service installed. You need to create a Hyper-V cluster. Which tool should you use first? A. the clussvc.exe command B. the cluster.exe command C. the Computer Management console D. the configurehyperv.exe command E. the Disk Management console F. the Failover Cluster Manager console G. the Hyper-V Manager console H. the Server Manager Desktop app Answer: H

**QUESTION 62**You have a server named Server1 that runs Windows Server 2016. Server1 is a Hyper-V host that hosts a virtual machine named VM1. Server1 has three network adapter cards. That connect to a virtual switch named vSwitch1. You configure NIC Teaming on VM1 as shown in the exhibit. You need to ensure that VM1 will retain access to the network if a physical adapter card fails on Server1. What should you do? A. From Hyper-V Manager on Server1, modify the settings of VM1. B. From Windows PowerShell on Server1, run the Set-VmSwitchcmdlet. C. From the properties of the NIC team on VM1, add the adapter named Ethernet to the NIC team. D. From the properties of the NIC team on VM1, change the load balancing of the NIC team. Answer: A

**QUESTION 63**Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have an Active Directory domain that contains two Hyper-V servers named Server1 and Server2. Server1 has Windows Server 2016 installed. Server2 has Windows Server 2012 R2 installed. Each Hyper-V server has three network cards. Each network card is connected to a different subnet. Server1 contains a dedicated migration network. Server2 contains a virtual machine named VM5. You plan to perform a live migration of VM5 to Server1. You need to ensure that Server1 uses all available networks to perform the live migration of VM5. What should you run? A. the Mount-VHD cmdlet B. the Diskpart command C. the Set-VHD cmdlet D. the Set-VM cmdlet E. the Set-VMHost cmdlet F. the Set-VMProcessor cmdlet G. the Install-WindowsFeature cmdlet H. the Optimize-VHD cmdlet Answer: E

**QUESTION 64**Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Start of Repeated Scenario: A company named Contoso, Ltd. has several servers that run Windows Server 2016. Contoso has a Hyper V environment that uses failover clustering and Windows Server Update Services (WSUS). The environment contains several Windows containers and several virtual machines. The WSUS deployment contains one upstream server that is located on the company's perimeter network and several downstream servers located on the internal network. A firewall separates the upstream server from the downstream servers. You plan to deploy a human resources application to a new server named HRServer5. HRServer5 contains a FAT32-formatted data volume. The CIO of Contoso identifies the following requirements for the company's IT department: - Deploy failover cluster to two new virtual machines. - Store all application databases by using Encrypted File System (EFS). - Ensure that each Windows container has a dedicated IP address assigned by a DHCP server. - Produce a report that lists the processor time used by all of the processes on a server named Server 1 for five hour. - Encrypt all communication between the internal network and the perimeter network, including all WSUS communications. - Automatically load balance the virtual machines hosted in the Hyper-V cluster when processor utilization exceeds 70 percent. End of Repeated Scenario. What should you do to prepare the data volume on HRServer5 to store the databases required for the human resources application? A. Format the data volume by using ReFS. B. Enable Trusted Platform Module (TPM) on HRServer5. C. Format the data volume by using NTFS. D. Enable BitLocker Drive Encryption (BitLocker) on the data volume. Answer: C

**Explanation:** You must format the volume using NTFS, because the example requires encrypting the volumes using Encrypted File System. EFS is only compatible with the NTFS file system.

**QUESTION 65**Drag and Drop Question You have a physical server named Server1 that runs Windows Server 2016. Server1 is a Hyper-V host. On Server1, you create a virtual machine named VM1 that runs Windows Server 2016. You plan to install the Hyper-V server role on VM1. You need to ensure that you can configure VM1 to host virtual machines. How should you complete the Windows PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may

be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: QUESTION 66 Drag and Drop Question You are planning the configuration of a virtual network switch for a Hyper V environment. The environment will contain the following Hyper V hosts. - A server named Server1 will have 10 virtual machines that must be able to communicate with each other. The virtual machines must be prevented from communicating with Server1 and all other servers on the corporate network. - A two-node failover cluster named Cluser1 will have 20 virtual machines. The virtual machines will run on both nodes. Hyper V hosts on the corporate network must be able to connect to the virtual machines. Which type of virtual switch should you select for each Hyper V host? To answer, drag the appropriate virtual switch types to the correct hosts. Each virtual switch type may be used once, more than once, or not at all. Answer: QUESTION 67 Hotspot Question Your network contains an Active Directory forest. The forest contains one domain named contoso.com. The domain contains two domain controllers named DC1 and DC2. DC1 holds all of the operations master roles. During normal network operations, you run the following commands on DC2: `Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole PDCEmulator` `Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole RIDMaster` DC1 fails. You remove DC1 from the network, and then you run the following command: `Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole SchemaMaster` For each of the following statements, select Yes if the statement is true. Otherwise, select No. Answer: QUESTION 68 Drag and Drop Question You have a network that contains several servers that run Windows Server 2016. You need to use Desired State Configuration (DSC) to configure the servers to meet the following requirements: - Install the Web Server server role. - Start the World Wide Web Publishing service. How should you configure the DSC resources? To answer, drag the appropriate values to the correct locations. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: Explanation: When configuring a DSC script, use "WindowsFeature" to specify a role like WebServerRole. Set Ensure = "Present" to make sure the role is installed. Use "Service" for a windows service like WorldWideWebPublishing, and set State = "Running" to make sure the service is running. QUESTION 69 Hotspot Question Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Start of Repeated Scenario: A company named Contoso, Ltd. has several servers that run Windows Server 2016. Contoso has a Hyper V environment that uses failover clustering and Windows Server Update Services (WSUS). The environment contains several Windows containers and several virtual machines. The WSUS deployment contains one upstream server that is located on the company's perimeter network and several downstream servers located on the internal network. A firewall separates the upstream server from the downstream servers. You plan to deploy a human resources application to a new server named HRServer5. HRServer5 contains a FAT32-formatted data volume. The CIO of Contoso identifies the following requirements for the company's IT department: - Deploy failover cluster to two new virtual machines. - Store all application databases by using Encrypted File System (EFS). - Ensure that each Windows container has a dedicated IP address assigned by a DHCP server. - Produce a report that lists the processor time used by all of the processes on a server named Server 1 for five hours. - Encrypt all communication between the internal network and the perimeter network, including all WSUS communications. - Automatically load balance the virtual machines hosted in the Hyper-V cluster when processor utilization exceeds 70 percent. End of Repeated Scenario. You need to create a Data Collector Set to meet the requirement for the processor time report. What command should you run to create the Data Collector Set? To answer, select the appropriate options in the answer area. Answer: Explanation: Use LogMan program to create a data set, choose type "counter" to collect performance statistics like processor usage. QUESTION 70 Hotspot Question Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named Server1 and a member server named Server2. Server1 has the DNS Server role installed. Server2 has IP Address Management IPAM installed. The IPAM server retrieves zones from Server1 as shown in the following table: Answer: Lead2pass is no doubt your best choice. Using the Microsoft 70-740 exam dumps can let you improve the efficiency of your studying so that it can help you save much more time. 70-740 new questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDTzFiNkZZMGowWWs> 2017 Microsoft 70-740 exam dumps (All 113 Q&As) from Lead2pass: <http://www.lead2pass.com/70-740.html> [100% Exam Pass Guaranteed!!!]