

## Free Download Of Lead2pass Latest Microsoft MB6-704 Brain Dumps(31-41)

Lead2pass provides the guaranteed preparation material to boost up your confidence in MB6-704 exam. Successful candidates have provided their reviews about our guaranteed MB6-704 preparation material, you can come to realize the real worth of our featured products through over-viewing the reviews and testimonials.

### QUESTION 31

You are developing queries to fetch data from the CustTable table. CustTable contains a field named City. There is a non-unique cluster index named cityIdx in the City field.

You need to fetch data from CustTable in ascending order based on City.

What are three possible SQL statements that achieve this goal? Each correct answer presents a complete solution.

- A. Select CustTable order by city ASC;
- B. Select CustTable index city;
- C. Select CustTable index cityIdx;
- D. Select city Iron CustTable;
- E. Select CustTable order by city;

Answer: ABC

### QUESTION 32

You write the following X++ code: (Line numbers are included for reference only.)

```
01 CustTable custTable;  
02 try  
03 {  
04     custTable.AccountNum = "123";  
05     custTable.Currency = "USD";  
06     custTable.insert();  
07 }  
08  
09
```

You need to handle the deadlock exception and the error exception.

Which code segment should you insert at line 09?

- A. `catch(Exception::deadlock)`  
`catch(Exception::error)`  
`info("Exception occurred");`
- B. `catch(Exception)`  
`info("Exception occurred");`  
`}`
- C. `catch(Exception::deadlock)`  
`info("Exception occurred");`  
`catch(Exception::error)`  
`info("Exception occurred");`
- D. `catch(Exception::deadlock.Exception::error)`  
`info("Exception occurred");`

Answer: A

#### QUESTION 33

You plan to create two tables named Table1 and Table2. Both tables will have a field named CustomerNumber of the string type that has a length of 15. The tables will have a relationship on the CustomerNumber field.

You need to ensure that the string length of CustomerNumber is identical for both tables. The solution must ensure that if any relationships on the CustomerNumber field are added to other tables, the other tables will have the same string length for CustomerNumber.

What should you use?

- A. A view
- B. An extended data type (EDT)
- C. A perspective
- D. A map

Answer: A

#### QUESTION 34

You have three tables named Table1, Table2, and Table3. Table2 and Table3 extend from Table1.

You define a method on Table2 and you define a field on Table1.

You need to identify on which tables the field and the method will be available.

Which two options should you identify? Each correct answer presents part of the solution.

- A. The field will be available on Table1 only.
- B. The field will be available on Table1, Table2, and Table3.
- C. The method will be available on Table2 and Table3 only.
- D. The method will be available on Table2 only.
- E. The method will be available on Table1, Table2, and Table3.

Answer: AE

#### QUESTION 35

What can you prevent an object from accessing by using a display method authorization?

- A. Data from forms
- B. Data from jobs
- C. Data from reports
- D. Data from tables

Answer: A

#### QUESTION 36

You work in a shared development environment. You frequently use private projects.

Which statement accurately describes the private projects?

- A. Changes made to the objects in the private projects are visible only to the user who creates the projects.
- B. Private projects can have only one version in source control.
- C. Other users can be granted access to the private projects by using security roles.
- D. Private projects are visible only to the user who creates the projects.

Answer: D

#### QUESTION 37

You are developing a solution that will delete some records from a specific table.

You need to add a button that has delete logic on a Click event. Users must be prompted for input in the form of Yes or No before executing the delete operation.

What are two possible communication tools you can use to achieve this goal? Each correct answer presents a complete solution.

- A. Warning Boxes
- B. Print, pause
- C. Dialog boxes
- D. Warning Infolog
- E. Error Infolog

Answer: BD

#### QUESTION 38

You need to identify the output of the following X- statement:

```
int counterA = 3;
;
while(counterA mod 2) > 0)
{
    Print strftime("%i", counterA * (counterA mod 2));
    If(counterA>=7)
    {
        break;
    }
    counterA+=2;
}
Pause;
```

What should you identify?

- A. 3
- B. 3
- C. 4
- D. 3

Answer: C

#### QUESTION 39

You are developing X++ code to retrieve data from a table named Table1.

You need to use a select statement to retrieve only records from Table1 that have related records in a table named Table2.

Which type of join should you use?

- A. Inner
- B. Exists
- C. Outer
- D. Notexists

Answer: C

QUESTION 40

You are developing X++ code to update multiple records as a single transaction. The records are located in several tables. You need to ensure that if an update of one of the records fails, none of the records update.

What should you use?

- A. Try and catch
- B. Ttsbegin and ttscommit
- C. Insertrecordset and ttsabort
- D. Forupdate and ttsabort

Answer: B

Lead2pass is one of the leading exam preparation material providers. We have a complete range of exams offered by the top vendors of their respective industries. You can download free demos in PDF files that are the latest.

[www.lead2pass.com/MB6-704.html](http://www.lead2pass.com/MB6-704.html)