[May 2018 Lead2pass New Updated 200-355 Braindump Free Get 513q

Lead2pass Offers Free 200-355 Dumps Files for Free Downloading By 200-355 Exam Expert: https://www.lead2pass.com/200-355.html QUESTION 31After installing a Cisco 5508 Wireless Controller using the default settings, how often will the RRM update occur? A. 30 secondsB. 60 secondsC. 300 secondsD. 600 secondsE. 3600 seconds F. 7200 seconds Answer: D QUESTION 32A customer has requested a single point of policy enforcement for LAN and WLAN. Which deployment model should be used? A. convergedB. autonomousC. FlexConnectD. centralized Answer: A QUESTION 33Which CLI command is used on a Cisco WLC to troubleshoot mobility, rogue detection, and load-balancing events? A. debug dot11B. debug capwap allC. show dot11 detailsD. show capwap details Answer: A QUESTION 34Which three WLC debug commands are appropriate to troubleshoot a wireless client that is associated to an AP? (Choose three.) A. debug capwapB. debug mac addrC. debug dot11D. debug dhcpE. debug apF. debug dtls Answer: BCD QUESTION 35An engineer wants to have users who connect to a WLAN be redirected to a terms-of-service page with the company logo and a login. What should be configured on the WLAN to enable this capability? A. Layer 2 IEEE 802.1xB. Web Policy Slash Page Web RedirectC. Web Policy AuthenticationD. AAA ServersE. Web Policy Passthrough Answer: C QUESTION 36Which two principles must be considered when deploying a wireless network through a wooded area? (Choose two.) A. absorptionB. reflectionC. diffractionD. scatteringE. refraction Answer: AD QUESTION 37What is an interferer that an engineer may see in Cisco CleanAir? A. microwave ovensB. rogue APsC. malicious clientsD. co-channel interference Answer: A QUESTION 38 A network engineer notices that two mesh APs are having problems communicating. After reviewing the current radio configurations, it is noted that one AP is transmitting at 3 mW while the other is transmitting at 60 mW. How many decibels would the 3-mW AP need its power increased to match the 60-mW AP? A. 8B. 12C. 13D. 20E. 57 Answer: C QUESTION 39A network engineer requires an antenna for a point-to-point bridge with at least 20 dBi of gain. Which antenna is appropriate for the task? A. YagiB. patchC. parabolic dishD. dipoleE. internal omnidirectional Answer: C QUESTION 40An engineer needs to find out the maximum EIRP allowed for their office in Asia. What regulatory body should be contacted? A. CRTCB. ETSIC. IEEED. NTT Answer: D 200-355 dumps full version (PDF&VCE): https://www.lead2pass.com/200-355.html Large amount of free 200-355 exam questions on Google Drive: https://drive.google.com/open?id=0B3Syig5i8gpDZ2tQVGdUZVhQNzA